



1 Year Limited Warranty

Channel Vision Technology will repair or replace any defect in material or workmanship which occurs during normal use of this product with new or rebuilt parts, free of charge in the USA, for one year from the date of original purchase. This is a no hassle warranty with no mail in warranty card needed. This warranty does not cover damages in shipment, failures caused by other products not supplied by Channel Vision Technology, or failures due to accident, misuse, abuse, or alteration of the equipment. This warranty is extended only to the original purchaser, and a purchase receipt, invoice, or other proof of original purchase date will be required before warranty repairs are provided. Channel Vision products are not intended for use in medical, lifesaving, life sustaining or critical environment applications. Channel Vision customers using or selling Channel Vision products for use in such applications do so at their own risk and agree to fully indemnify Channel Vision for any damages resulting from such improper use or sale.

Mail in service can be obtained during the warranty period by calling (800) 840-0288 toll free. A Return Authorization number must be obtained in advance and can be marked on the outside of the shipping carton.


This warranty gives you specific legal rights and you may have other rights (which vary from state to state). If a problem with this product develops during or after the warranty period, please contact Channel Vision Technology, your dealer or any factory-authorized service center.



234 Fischer Avenue, Costa Mesa, California 92626 USA
(714)424-6500 • (800)840-0288 • (714)424-6510 fax
email: techsupport@channelvision.com

500-051 Rev B


INSTRUCTIONS



5104-Mic Microphone

Model 5104-Mic

The 5104 microphone allows you to add audio to any camera. It requires a separate power supply (model 5015-not included). It cannot be combined with the camera power supply.



Features:

- Line Level Output (RCA female)
- Simple Connections
- Compact Design

Installation:

- Connect a 12 Volt DC power supply to the microphone pig tail (see diagram).
- Connect audio output to your audio system.

Specifications:

- Audio connector:** 1 RCA type
- Power requirements:** 12VDC at 200mA
(Power supply not included)

Specifications subject to change without notice.