



Color Hi-Res WDR Mini Camera

6404

Channel Vision's WDR High Resolution Mini Pinhole Camera has a cone-shaped lens and small structure that is ideal for hidden and inconspicuous CCTV installations. Typical applications include door stations, small flush-mount camera assemblies, and hidden camera installations.

Features

High quality 1/3" SONY® Super HAD CCD Sensor II
560 TV lines of resolution
5.5mm lens for tight viewing angles
WDR (Wide Dynamic Range)



Specifications*

Image Sensor: 1/3" SONY Super HAD CCD
Scanning Frequency: NTSC 15.734KHz (H) 59.94Hz(V)
Resolution: 560 TV lines
S/N Ratio: More than 52db
Total Pixels: NTSC 811 (H) x 508 (V)
Effective Pixels: NTSC 768 (H) x 494 (V)
S/N: More than 52dB
Min Illumination: 0.1 Lux @ F2.0 (0.0002 Lux)
Sync. System: Internal
Gamma: $\gamma=0.45$
Video Output: 1.0Vpp Composite (75 Ohms)
Lens: 5.5mm P4
Electronic Shutter: NTSC: 1/60 - 1/120,000 sec

WDR: Yes
AGC: Off, On (Low, Middle, High)
Day and Night: Auto, Color, BW selectable
Motion Detection: Off, On (Area selectable)
Privacy Masking: Off, On (192 zone selection)
Languages: English, Chinese
OSD: Yes
White Balance: AWB, ATW, AWC- Push, Manual
3D- DNR: 0-6 Setting
Digital Zoom: x1 - x10
Digital Effect: Off, V-Flip, Mirror

Operating Temperature: 14° - 122° F
Humidity: Less than 80%
Power Consumption: 12vDC Max 100mA
Dimensions: 0.98" x 0.98"
Weight : Approximately 72g

*Specifications subject to change



Channel Vision Central
Structured Wiring



Channel Vision DVI
IR & Audio Equipment



ARIA™
Multi-Room Audio



Channel Vision Technology
Modulators, Cameras, Intercoms

CHANNEL VISION™

www.ChannelVision.com

800.840.0288

714.424.6500

234 Fischer Ave., Costa Mesa, CA 92626 USA

Specifications subject to change without notice.
 Channel Vision Technology, Channel Vision Central and ARIA are trademarks of Channel Vision Technology.
 ©Channel Vision Technology 2011